Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Aquatic Life Use						
Dissolved Oxygen grab average	Not Assessed	1600 acres in upper mid-lake	1,600	8	1	
Dissolved Oxygen grab average	Not Assessed	1600 acres southwest of dam	1,600	8	0	
Dissolved Oxygen grab average	Not Assessed	200 acres in the northwestern tip of lake	200	8	0	
Dissolved Oxygen grab average	No Concern	2300 acres in arm, west of dam	2,300	10	0	
Dissolved Oxygen grab average	Not Assessed	300 acres at International Paper intake	300	4	0	
Dissolved Oxygen grab average	Not Assessed	400 acres, north dam	400	2		
Dissolved Oxygen grab average	Not Assessed	400 acres, south dam	400	8	2	
Dissolved Oxygen grab average	Use Concern	4000 acres in upper portion of lake	4,000	20	8	
Dissolved Oxygen grab average	Not Assessed	4000 acres mid-lake	4,000	8	0	
Dissolved Oxygen grab average	No Concern	500 acres in the northeast corner of lake	500	10	0	
Dissolved Oxygen grab average	No Concern	5000 acres mid-lake, below Hwy 8	5,000	10	0	
Dissolved Oxygen grab minimum	No Concern-Limited Data	1600 acres in upper mid-lake	1,600	8	0	
Dissolved Oxygen grab minimum	No Concern-Limited Data	1600 acres southwest of dam	1,600	8	0	
Dissolved Oxygen grab minimum	No Concern-Limited Data	200 acres in the northwestern tip of lake	200	8	0	
Dissolved Oxygen grab minimum	Fully Supporting	2300 acres in arm, west of dam	2,300	10	0	
Dissolved Oxygen grab minimum	No Concern-Limited Data	300 acres at International Paper intake	300	4	0	
Dissolved Oxygen grab minimum	Not Assessed	400 acres, north dam	400	2		
Dissolved Oxygen grab minimum	No Concern-Limited Data	400 acres, south dam	400	8	1	
Dissolved Oxygen grab minimum	Partially Supporting	4000 acres in upper portion of lake	4,000	20	4	
Dissolved Oxygen grab minimum	No Concern-Limited Data	4000 acres mid-lake	4,000	8	0	
Dissolved Oxygen grab minimum	Fully Supporting	500 acres in the northeast corner of lake	500	10	0	
Dissolved Oxygen grab minimum	Fully Supporting	5000 acres mid-lake, below Hwy 8	5,000	10	0	
Dissolved Oxygen 24hr average	Not Assessed	1600 acres in upper mid-lake	1,600	0		
Dissolved Oxygen 24hr average	Not Assessed	1600 acres southwest of dam	1,600	2	0	
Dissolved Oxygen 24hr average	Not Assessed	200 acres in the northwestern tip of lake	200	0		

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Aquatic Life Use (continued)

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Dissolved Oxygen 24hr average	Not Assessed	2300 acres in arm, west of dam	2,300	0		
Dissolved Oxygen 24hr average	No Concern-Limited Data	300 acres at International Paper intake	300	2	0	
Dissolved Oxygen 24hr average	Not Assessed	400 acres, north dam	400	0		
Dissolved Oxygen 24hr average	Not Assessed	400 acres, south dam	400	0		
Dissolved Oxygen 24hr average	Use Concern-Limited Data	4000 acres in upper portion of lake	4,000	5	4	
Dissolved Oxygen 24hr average	Not Assessed	4000 acres mid-lake	4,000	0		
Dissolved Oxygen 24hr average	Not Assessed	500 acres in the northeast corner of lake	500	0		
Dissolved Oxygen 24hr average	Not Assessed	5000 acres mid-lake, below Hwy 8	5,000	0		
Dissolved Oxygen 24hr minimum	Not Assessed	1600 acres in upper mid-lake	1,600	0		
Dissolved Oxygen 24hr minimum	Not Assessed	1600 acres southwest of dam	1,600	2	0	
Dissolved Oxygen 24hr minimum	Not Assessed	200 acres in the northwestern tip of lake	200	0		
Dissolved Oxygen 24hr minimum	Not Assessed	2300 acres in arm, west of dam	2,300	0		
Dissolved Oxygen 24hr minimum	No Concern-Limited Data	300 acres at International Paper intake	300	2	0	
Dissolved Oxygen 24hr minimum	Not Assessed	400 acres, north dam	400	0		
Dissolved Oxygen 24hr minimum	Not Assessed	400 acres, south dam	400	0		
Dissolved Oxygen 24hr minimum	Use Concern-Limited Data	4000 acres in upper portion of lake	4,000	5	4	
Dissolved Oxygen 24hr minimum	Not Assessed	4000 acres mid-lake	4,000	0		
Dissolved Oxygen 24hr minimum	Not Assessed	500 acres in the northeast corner of lake	500	0		
Dissolved Oxygen 24hr minimum	Not Assessed	5000 acres mid-lake, below Hwy 8	5,000	0		
Acute Metals in water	No Concern-Limited Data	1600 acres southwest of dam	1,600	7	0	
Acute Metals in water	Not Assessed	300 acres at International Paper intake	300	1		
Acute Metals in water	No Concern-Limited Data	4000 acres in upper portion of lake	4,000	7	0	
Acute Metals in water	No Concern-Limited Data	500 acres in the northeast corner of lake	500	6	0	
Acute Metals in water	No Concern-Limited Data	5000 acres mid-lake, below Hwy 8	5,000	6	0	
Chronic Metals in water	No Concern-Limited Data	1600 acres southwest of dam	1,600	7		

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Aquatic Life Use (continued)						
Chronic Metals in water	Not Assessed	300 acres at International Paper intake	300	1		
Chronic Metals in water	No Concern-Limited Data	4000 acres in upper portion of lake	4,000	7		
Chronic Metals in water	No Concern-Limited Data	500 acres in the northeast corner of lake	500	6		
Chronic Metals in water	No Concern-Limited Data	5000 acres mid-lake, below Hwy 8	5,000	6		
Overall Aquatic Life Use	Not Assessed	1600 acres in upper mid-lake	1,600			
Overall Aquatic Life Use	Not Assessed	1600 acres southwest of dam	1,600			
Overall Aquatic Life Use	Not Assessed	200 acres in the northwestern tip of lake	200			
Overall Aquatic Life Use	Fully Supporting	2300 acres in arm, west of dam	2,300			
Overall Aquatic Life Use	Not Assessed	300 acres at International Paper intake	300			
Overall Aquatic Life Use	Not Assessed	400 acres, north dam	400			
Overall Aquatic Life Use	Not Assessed	400 acres, south dam	400			
Overall Aquatic Life Use	Partially Supporting	4000 acres in upper portion of lake	4,000			
Overall Aquatic Life Use	Not Assessed	4000 acres mid-lake	4,000			
Overall Aquatic Life Use	Fully Supporting	500 acres in the northeast corner of lake	500			
Overall Aquatic Life Use	Fully Supporting	5000 acres mid-lake, below Hwy 8	5,000			
Contact Recreation Use						
E. coli single sample	Not Assessed	1600 acres southwest of dam	1,600	0		
E. coli single sample	Not Assessed	2300 acres in arm, west of dam	2,300	1	0	
E. coli single sample	Not Assessed	300 acres at International Paper intake	300	1	0	
E. coli single sample	Not Assessed	4000 acres in upper portion of lake	4,000	1	0	
E. coli single sample	Not Assessed	500 acres in the northeast corner of lake	500	1	0	
E. coli single sample	Not Assessed	5000 acres mid-lake, below Hwy 8	5,000	1	0	
E. coli geometric mean	Not Assessed	1600 acres southwest of dam	1,600	0		
E. coli geometric mean	Not Assessed	2300 acres in arm, west of dam	2,300	1		1
E. coli geometric mean	Not Assessed	300 acres at International Paper intake	300	1		1

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Contact Recreation Use (continued)						
E. coli geometric mean	Not Assessed	4000 acres in upper portion of lake	4,000	1		2
E. coli geometric mean	Not Assessed	500 acres in the northeast corner of lake	500	1		1
E. coli geometric mean	Not Assessed	5000 acres mid-lake, below Hwy 8	5,000	1		1
Fecal coliform single sample	No Concern-Limited Data	1600 acres southwest of dam	1,600	8	0	
Fecal coliform single sample	Not Assessed	2300 acres in arm, west of dam	2,300	1	0	
Fecal coliform single sample	Not Assessed	300 acres at International Paper intake	300	3	0	
Fecal coliform single sample	No Concern-Limited Data	4000 acres in upper portion of lake	4,000	9	1	
Fecal coliform single sample	No Concern-Limited Data	500 acres in the northeast corner of lake	500	9	0	
Fecal coliform single sample	No Concern-Limited Data	5000 acres mid-lake, below Hwy 8	5,000	8	0	
Fecal coliform geometric mean	No Concern-Limited Data	1600 acres southwest of dam	1,600	8		1
Fecal coliform geometric mean	Not Assessed	2300 acres in arm, west of dam	2,300	1		1
Fecal coliform geometric mean	Not Assessed	300 acres at International Paper intake	300	3		1
Fecal coliform geometric mean	No Concern-Limited Data	4000 acres in upper portion of lake	4,000	9		36
Fecal coliform geometric mean	No Concern-Limited Data	500 acres in the northeast corner of lake	500	9		2
Fecal coliform geometric mean	No Concern-Limited Data	5000 acres mid-lake, below Hwy 8	5,000	8		2
Overall Recreation Use	Not Assessed	1600 acres in upper mid-lake	1,600			
Overall Recreation Use	Not Assessed	1600 acres southwest of dam	1,600			
Overall Recreation Use	Not Assessed	200 acres in the northwestern tip of lake	200			
Overall Recreation Use	Not Assessed	2300 acres in arm, west of dam	2,300			
Overall Recreation Use	Not Assessed	300 acres at International Paper intake	300			
Overall Recreation Use	Not Assessed	400 acres, north dam	400			
Overall Recreation Use	Not Assessed	400 acres, south dam	400			
Overall Recreation Use	Not Assessed	4000 acres in upper portion of lake	4,000			
Overall Recreation Use	Not Assessed	4000 acres mid-lake	4,000			
Overall Recreation Use	Not Assessed	500 acres in the northeast corner of lake	500			

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Contact Recreation Use (continued)						
Overall Recreation Use	Not Assessed	5000 acres mid-lake, below Hwy 8	5,000			
General Use						
Water Temperature	Use Concern-Limited Data	1600 acres in upper mid-lake	1,600	8	1	
Water Temperature	No Concern-Limited Data	1600 acres southwest of dam	1,600	8	0	
Water Temperature	Use Concern-Limited Data	200 acres in the northwestern tip of lake	200	8	1	
Water Temperature	Fully Supporting	2300 acres in arm, west of dam	2,300	10	0	
Water Temperature	No Concern-Limited Data	300 acres at International Paper intake	300	4	0	
Water Temperature	Not Assessed	400 acres, north dam	400	2		
Water Temperature	No Concern-Limited Data	400 acres, south dam	400	8	0	
Water Temperature	Fully Supporting	4000 acres in upper portion of lake	4,000	20	1	
Water Temperature	Use Concern-Limited Data	4000 acres mid-lake	4,000	8	1	
Water Temperature	Fully Supporting	500 acres in the northeast corner of lake	500	10	1	
Water Temperature	Fully Supporting	5000 acres mid-lake, below Hwy 8	5,000	10	0	
pH	Use Concern-Limited Data	1600 acres in upper mid-lake	1,600	8	1	
pH	No Concern-Limited Data	1600 acres southwest of dam	1,600	8	0	
pH	Use Concern-Limited Data	200 acres in the northwestern tip of lake	200	8	4	
pH	Partially Supporting	2300 acres in arm, west of dam	2,300	10	4	
pH	Use Concern-Limited Data	300 acres at International Paper intake	300	4	1	
pH	Not Assessed	400 acres, north dam	400	2		
pH	No Concern-Limited Data	400 acres, south dam	400	8	0	
pH	Fully Supporting	4000 acres in upper portion of lake	4,000	20	0	
pH	Use Concern-Limited Data	4000 acres mid-lake	4,000	8	2	
pH	Partially Supporting	500 acres in the northeast corner of lake	500	10	3	
pH	Use Concern	5000 acres mid-lake, below Hwy 8	5,000	10	2	
Chloride	Fully Supporting	1600 acres in upper mid-lake	1,600	73		11.1

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
General Use (continued)						
Chloride	Fully Supporting	1600 acres southwest of dam	1,600	73		11.1
Chloride	Fully Supporting	200 acres in the northwestern tip of lake	200	73		11.1
Chloride	Fully Supporting	2300 acres in arm, west of dam	2,300	73		11.1
Chloride	Fully Supporting	300 acres at International Paper intake	300	73		11.1
Chloride	Fully Supporting	400 acres, north dam	400	73		11.1
Chloride	Fully Supporting	400 acres, south dam	400	73		11.1
Chloride	Fully Supporting	4000 acres in upper portion of lake	4,000	73		11.1
Chloride	Fully Supporting	4000 acres mid-lake	4,000	73		11.1
Chloride	Fully Supporting	500 acres in the northeast corner of lake	500	73		11.1
Chloride	Fully Supporting	5000 acres mid-lake, below Hwy 8	5,000	73		11.1
Sulfate	Fully Supporting	1600 acres in upper mid-lake	1,600	73		18
Sulfate	Fully Supporting	1600 acres southwest of dam	1,600	73		18
Sulfate	Fully Supporting	200 acres in the northwestern tip of lake	200	73		18
Sulfate	Fully Supporting	2300 acres in arm, west of dam	2,300	73		18
Sulfate	Fully Supporting	300 acres at International Paper intake	300	73		18
Sulfate	Fully Supporting	400 acres, north dam	400	73		18
Sulfate	Fully Supporting	400 acres, south dam	400	73		18
Sulfate	Fully Supporting	4000 acres in upper portion of lake	4,000	73		18
Sulfate	Fully Supporting	4000 acres mid-lake	4,000	73		18
Sulfate	Fully Supporting	500 acres in the northeast corner of lake	500	73		18
Sulfate	Fully Supporting	5000 acres mid-lake, below Hwy 8	5,000	73		18
Total Dissolved Solids	Fully Supporting	1600 acres in upper mid-lake	1,600	101		142
Total Dissolved Solids	Fully Supporting	1600 acres southwest of dam	1,600	101		142
Total Dissolved Solids	Fully Supporting	200 acres in the northwestern tip of lake	200	101		142
Total Dissolved Solids	Fully Supporting	2300 acres in arm, west of dam	2,300	101		142

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
General Use (continued)						
Total Dissolved Solids	Fully Supporting	300 acres at International Paper intake	300	101		142
Total Dissolved Solids	Fully Supporting	400 acres, north dam	400	101		142
Total Dissolved Solids	Fully Supporting	400 acres, south dam	400	101		142
Total Dissolved Solids	Fully Supporting	4000 acres in upper portion of lake	4,000	101		142
Total Dissolved Solids	Fully Supporting	4000 acres mid-lake	4,000	101		142
Total Dissolved Solids	Fully Supporting	500 acres in the northeast corner of lake	500	101		142
Total Dissolved Solids	Fully Supporting	5000 acres mid-lake, below Hwy 8	5,000	101		142
Overall General Use	Fully Supporting	1600 acres in upper mid-lake	1,600			
Overall General Use	Fully Supporting	1600 acres southwest of dam	1,600			
Overall General Use	Fully Supporting	200 acres in the northwestern tip of lake	200			
Overall General Use	Partially Supporting	2300 acres in arm, west of dam	2,300			
Overall General Use	Fully Supporting	300 acres at International Paper intake	300			
Overall General Use	Fully Supporting	400 acres, north dam	400			
Overall General Use	Fully Supporting	400 acres, south dam	400			
Overall General Use	Fully Supporting	4000 acres in upper portion of lake	4,000			
Overall General Use	Fully Supporting	4000 acres mid-lake	4,000			
Overall General Use	Partially Supporting	500 acres in the northeast corner of lake	500			
Overall General Use	Fully Supporting	5000 acres mid-lake, below Hwy 8	5,000			
Fish Consumption Use						
Advisories and Closures Risk Assess.-No Advisory	Fully Supporting	1600 acres in upper mid-lake	1,600			
Advisories and Closures Risk Assess.-No Advisory	Fully Supporting	1600 acres southwest of dam	1,600			
Advisories and Closures Risk Assess.-No Advisory	Fully Supporting	200 acres in the northwestern tip of lake	200			

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Fish Consumption Use (continued)						
Advisories and Closures Risk Assess.-No Advisory	Fully Supporting	2300 acres in arm, west of dam	2,300			
Advisories and Closures Risk Assess.-No Advisory	Fully Supporting	300 acres at International Paper intake	300			
Advisories and Closures Risk Assess.-No Advisory	Fully Supporting	400 acres, north dam	400			
Advisories and Closures Risk Assess.-No Advisory	Fully Supporting	400 acres, south dam	400			
Advisories and Closures Risk Assess.-No Advisory	Fully Supporting	4000 acres in upper portion of lake	4,000			
Advisories and Closures Risk Assess.-No Advisory	Fully Supporting	4000 acres mid-lake	4,000			
Advisories and Closures Risk Assess.-No Advisory	Fully Supporting	500 acres in the northeast corner of lake	500			
Advisories and Closures Risk Assess.-No Advisory	Fully Supporting	5000 acres mid-lake, below Hwy 8	5,000			
Human Health Criteria	Not Assessed	300 acres at International Paper intake	300	1		
Human Health Criteria Arsenic	No Concern-Limited Data	1600 acres southwest of dam	1,600	7		1.89
Human Health Criteria Arsenic	No Concern-Limited Data	4000 acres in upper portion of lake	4,000	7		2.43
Human Health Criteria Arsenic	No Concern-Limited Data	500 acres in the northeast corner of lake	500	5		1.624
Human Health Criteria Arsenic	No Concern-Limited Data	5000 acres mid-lake, below Hwy 8	5,000	5		1.94
Human Health Criteria Cadmium	No Concern-Limited Data	1600 acres southwest of dam	1,600	7		2.21
Human Health Criteria Cadmium	No Concern-Limited Data	4000 acres in upper portion of lake	4,000	7		2.21
Human Health Criteria Cadmium	No Concern-Limited Data	500 acres in the northeast corner of lake	500	6		2.17
Human Health Criteria Cadmium	No Concern-Limited Data	5000 acres mid-lake, below Hwy 8	5,000	6		2.17
Human Health Criteria Chromium	No Concern-Limited Data	1600 acres southwest of dam	1,600	7		1.79
Human Health Criteria Chromium	No Concern-Limited Data	4000 acres in upper portion of lake	4,000	7		1.93
Human Health Criteria Chromium	No Concern-Limited Data	500 acres in the northeast corner of lake	500	6		1.83

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Fish Consumption Use (continued)						
Human Health Criteria Chromium	No Concern-Limited Data	5000 acres mid-lake, below Hwy 8	5,000	6		1.83
Human Health Criteria Lead	No Concern-Limited Data	1600 acres southwest of dam	1,600	7		0.714
Human Health Criteria Lead	No Concern-Limited Data	4000 acres in upper portion of lake	4,000	7		0.71
Human Health Criteria Lead	No Concern-Limited Data	500 acres in the northeast corner of lake	500	6		0.75
Human Health Criteria Lead	No Concern-Limited Data	5000 acres mid-lake, below Hwy 8	5,000	6		0.75
Human Health Criteria Selenium	No Concern-Limited Data	1600 acres southwest of dam	1,600	7		0.96
Human Health Criteria Selenium	No Concern-Limited Data	4000 acres in upper portion of lake	4,000	6		0.79
Human Health Criteria Selenium	No Concern-Limited Data	500 acres in the northeast corner of lake	500	5		0.664
Human Health Criteria Selenium	No Concern-Limited Data	5000 acres mid-lake, below Hwy 8	5,000	5		0.54
Overall Fish Consumption Use	Fully Supporting	1600 acres in upper mid-lake	1,600			
Overall Fish Consumption Use	Fully Supporting	1600 acres southwest of dam	1,600			
Overall Fish Consumption Use	Fully Supporting	200 acres in the northwestern tip of lake	200			
Overall Fish Consumption Use	Fully Supporting	2300 acres in arm, west of dam	2,300			
Overall Fish Consumption Use	Fully Supporting	300 acres at International Paper intake	300			
Overall Fish Consumption Use	Fully Supporting	400 acres, north dam	400			
Overall Fish Consumption Use	Fully Supporting	400 acres, south dam	400			
Overall Fish Consumption Use	Fully Supporting	4000 acres in upper portion of lake	4,000			
Overall Fish Consumption Use	Fully Supporting	4000 acres mid-lake	4,000			
Overall Fish Consumption Use	Fully Supporting	500 acres in the northeast corner of lake	500			
Overall Fish Consumption Use	Fully Supporting	5000 acres mid-lake, below Hwy 8	5,000			
Public Water Supply Use						
Finished Water: Running Avg	Fully Supporting	1600 acres in upper mid-lake	1,600			
Finished Water: Running Avg	Fully Supporting	1600 acres southwest of dam	1,600			
Finished Water: Running Avg	Fully Supporting	200 acres in the northwestern tip of lake	200			
Finished Water: Running Avg	Fully Supporting	2300 acres in arm, west of dam	2,300			

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water Supply Use (continued)						
Finished Water: Running Avg	Fully Supporting	300 acres at International Paper intake	300			
Finished Water: Running Avg	Fully Supporting	400 acres, south dam	400			
Finished Water: Running Avg	Fully Supporting	4000 acres in upper portion of lake	4,000			
Finished Water: Running Avg	Fully Supporting	500 acres in the northeast corner of lake	500			
Finished Water: Running Avg	Fully Supporting	5000 acres mid-lake, below Hwy 8	5,000			
Surface Water: Long-term average	No Concern-Limited Data	300 acres at International Paper intake	300	4		0.059
Surface Water: Long-term average	No Concern-Limited Data	400 acres, south dam	400	8		0.056
Surface Water: Long-term average Metals	No Concern-Limited Data	1600 acres southwest of dam	1,600	7		
Surface Water: Long-term average Metals	No Concern-Limited Data	4000 acres in upper portion of lake	4,000	6		
Surface Water: Long-term average Metals	No Concern-Limited Data	500 acres in the northeast corner of lake	500	6		
Surface Water: Long-term average Metals	No Concern-Limited Data	5000 acres mid-lake, below Hwy 8	5,000	6		
Surface Water: Long-term average Nitrate+Nitrite Nitrogen	No Concern-Limited Data	1600 acres in upper mid-lake	1,600	8		0.051
Surface Water: Long-term average Nitrate+Nitrite Nitrogen	No Concern-Limited Data	1600 acres southwest of dam	1,600	8		0.092
Surface Water: Long-term average Nitrate+Nitrite Nitrogen	No Concern-Limited Data	200 acres in the northwestern tip of lake	200	8		0.029
Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	2300 acres in arm, west of dam	2,300	10		0.027
Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	4000 acres in upper portion of lake	4,000	20		0.133
Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	500 acres in the northeast corner of lake	500	10		0.038
Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	5000 acres mid-lake, below Hwy 8	5,000	10		0.071

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Public Water Supply Use (continued)

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Surface Water: Running average	No Concern-Limited Data	300 acres at International Paper intake	300	4		
Surface Water: Running average	No Concern-Limited Data	400 acres, south dam	400	8		
Surface Water: Running average Metals	No Concern-Limited Data	1600 acres southwest of dam	1,600	7		
Surface Water: Running average Metals	No Concern-Limited Data	4000 acres in upper portion of lake	4,000	6		
Surface Water: Running average Metals	No Concern-Limited Data	500 acres in the northeast corner of lake	500	6		
Surface Water: Running average Metals	No Concern-Limited Data	5000 acres mid-lake, below Hwy 8	5,000	6		
Surface Water: Running average Nitrate+Nitrite Nitrogen	No Concern-Limited Data	1600 acres in upper mid-lake	1,600	8		
Surface Water: Running average Nitrate+Nitrite Nitrogen	No Concern-Limited Data	1600 acres southwest of dam	1,600	8		
Surface Water: Running average Nitrate+Nitrite Nitrogen	No Concern-Limited Data	200 acres in the northwestern tip of lake	200	8		
Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	2300 acres in arm, west of dam	2,300	10		
Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	4000 acres in upper portion of lake	4,000	20		
Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	500 acres in the northeast corner of lake	500	10		
Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	5000 acres mid-lake, below Hwy 8	5,000	10		
Overall Public Water Supply Use	Fully Supporting	1600 acres in upper mid-lake	1,600			
Overall Public Water Supply Use	Fully Supporting	1600 acres southwest of dam	1,600			
Overall Public Water Supply Use	Fully Supporting	200 acres in the northwestern tip of lake	200			
Overall Public Water Supply Use	Fully Supporting	2300 acres in arm, west of dam	2,300			
Overall Public Water Supply Use	Fully Supporting	300 acres at International Paper intake	300			
Overall Public Water Supply Use	Fully Supporting	400 acres, north dam	400			
Overall Public Water Supply Use	Fully Supporting	400 acres, south dam	400			
Overall Public Water Supply Use	Fully Supporting	4000 acres in upper portion of lake	4,000			

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water Supply Use (continued)						
Overall Public Water Supply Use	Fully Supporting	4000 acres mid-lake	4,000			
Overall Public Water Supply Use	Fully Supporting	500 acres in the northeast corner of lake	500			
Overall Public Water Supply Use	Fully Supporting	5000 acres mid-lake, below Hwy 8	5,000			
Overall Use Support						
	Fully Supporting	1600 acres in upper mid-lake	1,600			
	Fully Supporting	1600 acres southwest of dam	1,600			
	Fully Supporting	200 acres in the northwestern tip of lake	200			
	Partially Supporting	2300 acres in arm, west of dam	2,300			
	Fully Supporting	300 acres at International Paper intake	300			
	Fully Supporting	400 acres, north dam	400			
	Fully Supporting	400 acres, south dam	400			
	Partially Supporting	4000 acres in upper portion of lake	4,000			
	Fully Supporting	4000 acres mid-lake	4,000			
	Partially Supporting	500 acres in the northeast corner of lake	500			
	Fully Supporting	5000 acres mid-lake, below Hwy 8	5,000			
Nutrient Enrichment Concern						
Ammonia Nitrogen	Not Assessed	1600 acres in upper mid-lake	1,600	8	1	
Ammonia Nitrogen	Not Assessed	1600 acres southwest of dam	1,600	8	0	
Ammonia Nitrogen	Not Assessed	200 acres in the northwestern tip of lake	200	8	1	
Ammonia Nitrogen	No Concern	2300 acres in arm, west of dam	2,300	10	1	
Ammonia Nitrogen	Not Assessed	300 acres at International Paper intake	300	4	0	
Ammonia Nitrogen	Not Assessed	400 acres, south dam	400	8	2	
Ammonia Nitrogen	No Concern	4000 acres in upper portion of lake	4,000	20	1	
Ammonia Nitrogen	No Concern	500 acres in the northeast corner of lake	500	10	0	
Ammonia Nitrogen	No Concern	5000 acres mid-lake, below Hwy 8	5,000	10	0	

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Nutrient Enrichment Concern (continued)						
Nitrite + Nitrate Nitrogen	Not Assessed	1600 acres in upper mid-lake	1,600	8	0	
Nitrite + Nitrate Nitrogen	Not Assessed	1600 acres southwest of dam	1,600	8	0	
Nitrite + Nitrate Nitrogen	Not Assessed	200 acres in the northwestern tip of lake	200	8	0	
Nitrite + Nitrate Nitrogen	No Concern	2300 acres in arm, west of dam	2,300	10	0	
Nitrite + Nitrate Nitrogen	Not Assessed	300 acres at International Paper intake	300	4	0	
Nitrite + Nitrate Nitrogen	Not Assessed	400 acres, south dam	400	8	0	
Nitrite + Nitrate Nitrogen	No Concern	4000 acres in upper portion of lake	4,000	20	3	
Nitrite + Nitrate Nitrogen	No Concern	500 acres in the northeast corner of lake	500	10	0	
Nitrite + Nitrate Nitrogen	No Concern	5000 acres mid-lake, below Hwy 8	5,000	10	0	
Orthophosphorus	Not Assessed	1600 acres in upper mid-lake	1,600	8	2	
Orthophosphorus	Not Assessed	1600 acres southwest of dam	1,600	8	0	
Orthophosphorus	Not Assessed	200 acres in the northwestern tip of lake	200	8	1	
Orthophosphorus	No Concern	2300 acres in arm, west of dam	2,300	10	1	
Orthophosphorus	Not Assessed	300 acres at International Paper intake	300	4	0	
Orthophosphorus	Not Assessed	400 acres, south dam	400	8	1	
Orthophosphorus	No Concern	4000 acres in upper portion of lake	4,000	20	3	
Orthophosphorus	No Concern	500 acres in the northeast corner of lake	500	10	0	
Orthophosphorus	No Concern	5000 acres mid-lake, below Hwy 8	5,000	10	1	
Total Phosphorus	Not Assessed	1600 acres in upper mid-lake	1,600	0		
Total Phosphorus	Not Assessed	1600 acres southwest of dam	1,600	8	0	
Total Phosphorus	Not Assessed	200 acres in the northwestern tip of lake	200	0		
Total Phosphorus	Not Assessed	2300 acres in arm, west of dam	2,300	2	0	
Total Phosphorus	Not Assessed	300 acres at International Paper intake	300	4	0	
Total Phosphorus	Not Assessed	400 acres, south dam	400	0		
Total Phosphorus	Concern	4000 acres in upper portion of lake	4,000	12	4	

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Nutrient Enrichment Concern (continued)						
Total Phosphorus	No Concern	500 acres in the northeast corner of lake	500	10	0	
Total Phosphorus	No Concern	5000 acres mid-lake, below Hwy 8	5,000	10	1	
Overall Nutrient Enrichment Concerns	Not Assessed	1600 acres in upper mid-lake	1,600			
Overall Nutrient Enrichment Concerns	Not Assessed	1600 acres southwest of dam	1,600			
Overall Nutrient Enrichment Concerns	Not Assessed	200 acres in the northwestern tip of lake	200			
Overall Nutrient Enrichment Concerns	No Concern	2300 acres in arm, west of dam	2,300			
Overall Nutrient Enrichment Concerns	Not Assessed	300 acres at International Paper intake	300			
Overall Nutrient Enrichment Concerns	Not Assessed	400 acres, north dam	400			
Overall Nutrient Enrichment Concerns	Not Assessed	400 acres, south dam	400			
Overall Nutrient Enrichment Concerns	Concern	4000 acres in upper portion of lake	4,000			
Overall Nutrient Enrichment Concerns	Not Assessed	4000 acres mid-lake	4,000			
Overall Nutrient Enrichment Concerns	No Concern	500 acres in the northeast corner of lake	500			
Overall Nutrient Enrichment Concerns	No Concern	5000 acres mid-lake, below Hwy 8	5,000			
Algal Growth Concern						
Chlorophyll a	Not Assessed	1600 acres in upper mid-lake	1,600	0		
Chlorophyll a	Not Assessed	1600 acres southwest of dam	1,600	8	0	
Chlorophyll a	Not Assessed	200 acres in the northwestern tip of lake	200	0		
Chlorophyll a	Not Assessed	2300 acres in arm, west of dam	2,300	2	1	
Chlorophyll a	Not Assessed	300 acres at International Paper intake	300	4	1	
Chlorophyll a	Not Assessed	400 acres, north dam	400			
Chlorophyll a	Not Assessed	400 acres, south dam	400	0		
Chlorophyll a	No Concern	4000 acres in upper portion of lake	4,000	12	0	
Chlorophyll a	Not Assessed	4000 acres mid-lake	4,000			
Chlorophyll a	Concern	500 acres in the northeast corner of lake	500	10	3	
Chlorophyll a	No Concern	5000 acres mid-lake, below Hwy 8	5,000	10	0	

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Sediment Contaminants Concern

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Metals in sediment	Not Assessed	1600 acres southwest of dam	1,600	3		
Metals in sediment	Not Assessed	300 acres at International Paper intake	300	1		
Metals in sediment	Not Assessed	4000 acres in upper portion of lake	4,000	2		
Metals in sediment	Not Assessed	500 acres in the northeast corner of lake	500	2		
Metals in sediment	Not Assessed	5000 acres mid-lake, below Hwy 8	5,000	2		
Overall Sediment Contaminant Concerns	Not Assessed	1600 acres in upper mid-lake	1,600			
Overall Sediment Contaminant Concerns	Not Assessed	1600 acres southwest of dam	1,600			
Overall Sediment Contaminant Concerns	Not Assessed	200 acres in the northwestern tip of lake	200			
Overall Sediment Contaminant Concerns	Not Assessed	2300 acres in arm, west of dam	2,300			
Overall Sediment Contaminant Concerns	Not Assessed	300 acres at International Paper intake	300			
Overall Sediment Contaminant Concerns	Not Assessed	400 acres, north dam	400			
Overall Sediment Contaminant Concerns	Not Assessed	400 acres, south dam	400			
Overall Sediment Contaminant Concerns	Not Assessed	4000 acres in upper portion of lake	4,000			
Overall Sediment Contaminant Concerns	Not Assessed	4000 acres mid-lake	4,000			
Overall Sediment Contaminant Concerns	Not Assessed	500 acres in the northeast corner of lake	500			
Overall Sediment Contaminant Concerns	Not Assessed	5000 acres mid-lake, below Hwy 8	5,000			

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Fish Tissue Contaminants Concern						
Overall Fish Tissue Contaminant Concerns	Not Assessed	1600 acres in upper mid-lake	1,600			
Overall Fish Tissue Contaminant Concerns	Not Assessed	1600 acres southwest of dam	1,600			
Overall Fish Tissue Contaminant Concerns	Not Assessed	200 acres in the northwestern tip of lake	200			
Overall Fish Tissue Contaminant Concerns	Not Assessed	2300 acres in arm, west of dam	2,300			
Overall Fish Tissue Contaminant Concerns	Not Assessed	300 acres at International Paper intake	300			
Overall Fish Tissue Contaminant Concerns	Not Assessed	400 acres, north dam	400			
Overall Fish Tissue Contaminant Concerns	Not Assessed	400 acres, south dam	400			
Overall Fish Tissue Contaminant Concerns	Not Assessed	4000 acres in upper portion of lake	4,000			
Overall Fish Tissue Contaminant Concerns	Not Assessed	4000 acres mid-lake	4,000			
Overall Fish Tissue Contaminant Concerns	Not Assessed	500 acres in the northeast corner of lake	500			
Overall Fish Tissue Contaminant Concerns	Not Assessed	5000 acres mid-lake, below Hwy 8	5,000			
Public Water Supply Concern						
Finished Water: Chloride	No Concern	1600 acres in upper mid-lake	1,600			
Finished Water: Chloride	No Concern	1600 acres southwest of dam	1,600			
Finished Water: Chloride	No Concern	200 acres in the northwestern tip of lake	200			
Finished Water: Chloride	No Concern	2300 acres in arm, west of dam	2,300			
Finished Water: Chloride	No Concern	300 acres at International Paper intake	300			
Finished Water: Chloride	No Concern	400 acres, north dam	400			

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water Supply Concern (continued)						
Finished Water: Chloride	No Concern	400 acres, south dam	400			
Finished Water: Chloride	No Concern	4000 acres in upper portion of lake	4,000			
Finished Water: Chloride	No Concern	4000 acres mid-lake	4,000			
Finished Water: Chloride	No Concern	500 acres in the northeast corner of lake	500			
Finished Water: Chloride	No Concern	5000 acres mid-lake, below Hwy 8	5,000			
Finished Water: Sulfate	No Concern	1600 acres in upper mid-lake	1,600			
Finished Water: Sulfate	No Concern	1600 acres southwest of dam	1,600			
Finished Water: Sulfate	No Concern	200 acres in the northwestern tip of lake	200			
Finished Water: Sulfate	No Concern	2300 acres in arm, west of dam	2,300			
Finished Water: Sulfate	No Concern	300 acres at International Paper intake	300			
Finished Water: Sulfate	No Concern	400 acres, north dam	400			
Finished Water: Sulfate	No Concern	400 acres, south dam	400			
Finished Water: Sulfate	No Concern	4000 acres in upper portion of lake	4,000			
Finished Water: Sulfate	No Concern	4000 acres mid-lake	4,000			
Finished Water: Sulfate	No Concern	500 acres in the northeast corner of lake	500			
Finished Water: Sulfate	No Concern	5000 acres mid-lake, below Hwy 8	5,000			
Finished Water: Total Dissolved Solids	No Concern	1600 acres in upper mid-lake	1,600			
Finished Water: Total Dissolved Solids	No Concern	1600 acres southwest of dam	1,600			
Finished Water: Total Dissolved Solids	No Concern	200 acres in the northwestern tip of lake	200			
Finished Water: Total Dissolved Solids	No Concern	2300 acres in arm, west of dam	2,300			
Finished Water: Total Dissolved Solids	No Concern	300 acres at International Paper intake	300			
Finished Water: Total Dissolved Solids	No Concern	400 acres, north dam	400			
Finished Water: Total Dissolved Solids	No Concern	400 acres, south dam	400			
Finished Water: Total Dissolved Solids	No Concern	4000 acres in upper portion of lake	4,000			
Finished Water: Total Dissolved Solids	No Concern	4000 acres mid-lake	4,000			

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water Supply Concern (continued)						
Finished Water: Total Dissolved Solids	No Concern	500 acres in the northeast corner of lake	500			
Finished Water: Total Dissolved Solids	No Concern	5000 acres mid-lake, below Hwy 8	5,000			
Finished Water: MTBE	No Concern	1600 acres in upper mid-lake	1,600			
Finished Water: MTBE	No Concern	1600 acres southwest of dam	1,600			
Finished Water: MTBE	No Concern	200 acres in the northwestern tip of lake	200			
Finished Water: MTBE	No Concern	2300 acres in arm, west of dam	2,300			
Finished Water: MTBE	No Concern	300 acres at International Paper intake	300			
Finished Water: MTBE	No Concern	400 acres, north dam	400			
Finished Water: MTBE	No Concern	400 acres, south dam	400			
Finished Water: MTBE	No Concern	4000 acres in upper portion of lake	4,000			
Finished Water: MTBE	No Concern	4000 acres mid-lake	4,000			
Finished Water: MTBE	No Concern	500 acres in the northeast corner of lake	500			
Finished Water: MTBE	No Concern	5000 acres mid-lake, below Hwy 8	5,000			
Finished Water: Perchlorate	Not Assessed	1600 acres in upper mid-lake	1,600			
Finished Water: Perchlorate	Not Assessed	1600 acres southwest of dam	1,600			
Finished Water: Perchlorate	Not Assessed	200 acres in the northwestern tip of lake	200			
Finished Water: Perchlorate	Not Assessed	2300 acres in arm, west of dam	2,300			
Finished Water: Perchlorate	Not Assessed	300 acres at International Paper intake	300			
Finished Water: Perchlorate	Not Assessed	400 acres, north dam	400			
Finished Water: Perchlorate	Not Assessed	400 acres, south dam	400			
Finished Water: Perchlorate	Not Assessed	4000 acres in upper portion of lake	4,000			
Finished Water: Perchlorate	Not Assessed	4000 acres mid-lake	4,000			
Finished Water: Perchlorate	Not Assessed	500 acres in the northeast corner of lake	500			
Finished Water: Perchlorate	Not Assessed	5000 acres mid-lake, below Hwy 8	5,000			
Finished Water: Overall	No Concern	1600 acres in upper mid-lake	1,600			

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Public Water Supply Concern (continued)

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Finished Water: Overall	No Concern	1600 acres southwest of dam	1,600			
Finished Water: Overall	No Concern	200 acres in the northwestern tip of lake	200			
Finished Water: Overall	No Concern	2300 acres in arm, west of dam	2,300			
Finished Water: Overall	No Concern	300 acres at International Paper intake	300			
Finished Water: Overall	No Concern	400 acres, north dam	400			
Finished Water: Overall	No Concern	400 acres, south dam	400			
Finished Water: Overall	No Concern	4000 acres in upper portion of lake	4,000			
Finished Water: Overall	No Concern	4000 acres mid-lake	4,000			
Finished Water: Overall	No Concern	500 acres in the northeast corner of lake	500			
Finished Water: Overall	No Concern	5000 acres mid-lake, below Hwy 8	5,000			
Surface Water: Chloride	No Concern	1600 acres in upper mid-lake	1,600	73		11.1
Surface Water: Chloride	No Concern	1600 acres southwest of dam	1,600	73		11.1
Surface Water: Chloride	No Concern	200 acres in the northwestern tip of lake	200	73		11.1
Surface Water: Chloride	No Concern	2300 acres in arm, west of dam	2,300	73		11.1
Surface Water: Chloride	No Concern	300 acres at International Paper intake	300	73		11.1
Surface Water: Chloride	No Concern	400 acres, north dam	400	73		11.1
Surface Water: Chloride	No Concern	400 acres, south dam	400	73		11.1
Surface Water: Chloride	No Concern	4000 acres in upper portion of lake	4,000	73		11.1
Surface Water: Chloride	No Concern	4000 acres mid-lake	4,000	73		11.1
Surface Water: Chloride	No Concern	500 acres in the northeast corner of lake	500	73		11.1
Surface Water: Chloride	No Concern	5000 acres mid-lake, below Hwy 8	5,000	73		11.1
Surface Water: Sulfate	No Concern	1600 acres in upper mid-lake	1,600	73		18
Surface Water: Sulfate	No Concern	1600 acres southwest of dam	1,600	73		18
Surface Water: Sulfate	No Concern	200 acres in the northwestern tip of lake	200	73		18
Surface Water: Sulfate	No Concern	2300 acres in arm, west of dam	2,300	73		18

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water Supply Concern (continued)						
Surface Water: Sulfate	No Concern	300 acres at International Paper intake	300	73		18
Surface Water: Sulfate	No Concern	400 acres, north dam	400	73		18
Surface Water: Sulfate	No Concern	400 acres, south dam	400	73		18
Surface Water: Sulfate	No Concern	4000 acres in upper portion of lake	4,000	73		18
Surface Water: Sulfate	No Concern	4000 acres mid-lake	4,000	73		18
Surface Water: Sulfate	No Concern	500 acres in the northeast corner of lake	500	73		18
Surface Water: Sulfate	No Concern	5000 acres mid-lake, below Hwy 8	5,000	73		18
Surface Water: Total Dissolved Solids	No Concern	1600 acres in upper mid-lake	1,600	101		142
Surface Water: Total Dissolved Solids	No Concern	1600 acres southwest of dam	1,600	101		142
Surface Water: Total Dissolved Solids	No Concern	200 acres in the northwestern tip of lake	200	101		142
Surface Water: Total Dissolved Solids	No Concern	2300 acres in arm, west of dam	2,300	101		142
Surface Water: Total Dissolved Solids	No Concern	300 acres at International Paper intake	300	101		142
Surface Water: Total Dissolved Solids	No Concern	400 acres, north dam	400	101		142
Surface Water: Total Dissolved Solids	No Concern	400 acres, south dam	400	101		142
Surface Water: Total Dissolved Solids	No Concern	4000 acres in upper portion of lake	4,000	101		142
Surface Water: Total Dissolved Solids	No Concern	4000 acres mid-lake	4,000	101		142
Surface Water: Total Dissolved Solids	No Concern	500 acres in the northeast corner of lake	500	101		142
Surface Water: Total Dissolved Solids	No Concern	5000 acres mid-lake, below Hwy 8	5,000	101		142
Surface Water: Overall	No Concern	1600 acres in upper mid-lake	1,600			
Surface Water: Overall	No Concern	1600 acres southwest of dam	1,600			
Surface Water: Overall	No Concern	200 acres in the northwestern tip of lake	200			
Surface Water: Overall	No Concern	2300 acres in arm, west of dam	2,300			
Surface Water: Overall	No Concern	300 acres at International Paper intake	300			
Surface Water: Overall	No Concern	400 acres, north dam	400			
Surface Water: Overall	No Concern	400 acres, south dam	400			

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water Supply Concern (continued)						
Surface Water: Overall	No Concern	4000 acres in upper portion of lake	4,000			
Surface Water: Overall	No Concern	4000 acres mid-lake	4,000			
Surface Water: Overall	No Concern	500 acres in the northeast corner of lake	500			
Surface Water: Overall	No Concern	5000 acres mid-lake, below Hwy 8	5,000			
Overall Public Water Supply Concerns	No Concern	1600 acres in upper mid-lake	1,600			
Overall Public Water Supply Concerns	No Concern	1600 acres southwest of dam	1,600			
Overall Public Water Supply Concerns	No Concern	200 acres in the northwestern tip of lake	200			
Overall Public Water Supply Concerns	No Concern	2300 acres in arm, west of dam	2,300			
Overall Public Water Supply Concerns	No Concern	300 acres at International Paper intake	300			
Overall Public Water Supply Concerns	No Concern	400 acres, north dam	400			
Overall Public Water Supply Concerns	No Concern	400 acres, south dam	400			
Overall Public Water Supply Concerns	No Concern	4000 acres in upper portion of lake	4,000			
Overall Public Water Supply Concerns	No Concern	4000 acres mid-lake	4,000			
Overall Public Water Supply Concerns	No Concern	500 acres in the northeast corner of lake	500			
Overall Public Water Supply Concerns	No Concern	5000 acres mid-lake, below Hwy 8	5,000			
Narrative Criteria Concern						
Overall Narrative Criteria Concerns	No Concern	1600 acres in upper mid-lake	1,600			
Overall Narrative Criteria Concerns	No Concern	1600 acres southwest of dam	1,600			
Overall Narrative Criteria Concerns	No Concern	200 acres in the northwestern tip of lake	200			
Overall Narrative Criteria Concerns	No Concern	2300 acres in arm, west of dam	2,300			
Overall Narrative Criteria Concerns	No Concern	300 acres at International Paper intake	300			
Overall Narrative Criteria Concerns	No Concern	400 acres, north dam	400			
Overall Narrative Criteria Concerns	No Concern	400 acres, south dam	400			
Overall Narrative Criteria Concerns	No Concern	4000 acres in upper portion of lake	4,000			
Overall Narrative Criteria Concerns	No Concern	4000 acres mid-lake	4,000			

Segment ID: 0302 **Water body name:** Wright Patman Lake

Reservoir | Sulphur River Basin | Total size: 20,300 Acres

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Narrative Criteria Concern (continued)						
Overall Narrative Criteria Concerns	No Concern	500 acres in the northeast corner of lake	500			
Overall Narrative Criteria Concerns	No Concern	5000 acres mid-lake, below Hwy 8	5,000			
Overall Secondary Concern						
	No Concern	1600 acres in upper mid-lake	1,600			
	No Concern	1600 acres southwest of dam	1,600			
	No Concern	200 acres in the northwestern tip of lake	200			
	No Concern	2300 acres in arm, west of dam	2,300			
	No Concern	300 acres at International Paper intake	300			
	No Concern	400 acres, north dam	400			
	No Concern	400 acres, south dam	400			
	Concern	4000 acres in upper portion of lake	4,000			
	No Concern	4000 acres mid-lake	4,000			
	Concern	500 acres in the northeast corner of lake	500			
	No Concern	5000 acres mid-lake, below Hwy 8	5,000			