Segment ID: 1221 **Water body name:** Leon River Below Proctor Lake

Freshwater Stream | Brazos River Basin | Total size: 173 Miles

Aquatic Life Use

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Dissolved Oxygen grab average	No Concern	Portion of segment downstream of Gatesville	42	39	0	
Dissolved Oxygen grab average	No Concern	Portion of segment east of Hamilton	37	21	2	
Dissolved Oxygen grab average	No Concern	Portion of segment north of Gustine	14	25	0	
Dissolved Oxygen grab average	No Concern	Portion of segment upstream of Gatesville	37	42	1	
Dissolved Oxygen grab average	No Concern	Portion of segment west of US Hwy 281	30	15	0	
Dissolved Oxygen grab average	Use Concern	Upstream portion of segment	13	53	7	
Dissolved Oxygen grab minimum	Fully Supporting	Portion of segment downstream of Gatesville	42	39	0	
Dissolved Oxygen grab minimum	Fully Supporting	Portion of segment east of Hamilton	37	21	1	
Dissolved Oxygen grab minimum	Fully Supporting	Portion of segment north of Gustine	14	25	0	
Dissolved Oxygen grab minimum	Fully Supporting	Portion of segment upstream of Gatesville	37	42	0	
Dissolved Oxygen grab minimum	Fully Supporting	Portion of segment west of US Hwy 281	30	15	0	
Dissolved Oxygen grab minimum	Fully Supporting	Upstream portion of segment	13	53	0	
Dissolved Oxygen 24hr average	Not Assessed	Portion of segment downstream of Gatesville	42	0		
Dissolved Oxygen 24hr average	Not Assessed	Portion of segment east of Hamilton	37	0		
Dissolved Oxygen 24hr average	Not Assessed	Portion of segment north of Gustine	14	0		
Dissolved Oxygen 24hr average	Not Assessed	Portion of segment upstream of Gatesville	37	0		
Dissolved Oxygen 24hr average	Not Assessed	Portion of segment west of US Hwy 281	30	0		
Dissolved Oxygen 24hr average	Not Assessed	Upstream portion of segment	13	0		
Dissolved Oxygen 24hr minimum	Not Assessed	Portion of segment downstream of Gatesville	42	0		
Dissolved Oxygen 24hr minimum	Not Assessed	Portion of segment east of Hamilton	37	0		
Dissolved Oxygen 24hr minimum	Not Assessed	Portion of segment north of Gustine	14	0		
Dissolved Oxygen 24hr minimum	Not Assessed	Portion of segment upstream of Gatesville	37	0		
Dissolved Oxygen 24hr minimum	Not Assessed	Portion of segment west of US Hwy 281	30	0		
Dissolved Oxygen 24hr minimum	Not Assessed	Upstream portion of segment	13	0		

Segment ID: 1221 **Water body name:** Leon River Below Proctor Lake

Freshwater Stream | Brazos River Basin | Total size: 173 Miles

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Aquatic Life Use (continued)						
Acute Metals in water	Fully Supporting	Upstream portion of segment	13	11	0	
Overall Aquatic Life Use	Fully Supporting	Portion of segment downstream of Gatesville	42			
Overall Aquatic Life Use	Fully Supporting	Portion of segment east of Hamilton	37			
Overall Aquatic Life Use	Fully Supporting	Portion of segment north of Gustine	14			
Overall Aquatic Life Use	Fully Supporting	Portion of segment upstream of Gatesville	37			
Overall Aquatic Life Use	Fully Supporting	Portion of segment west of US Hwy 281	30			
Overall Aquatic Life Use	Fully Supporting	Upstream portion of segment	13			
Contact Recreation Use						
E. coli single sample	Not Assessed	Portion of segment downstream of Gatesville	42	0		
E. coli single sample	Not Assessed	Portion of segment east of Hamilton	37	0		
E. coli single sample	Not Assessed	Portion of segment north of Gustine	14	0		
E. coli single sample	Not Assessed	Portion of segment upstream of Gatesville	37	0		
E. coli single sample	Not Assessed	Portion of segment west of US Hwy 281	30	0		
E. coli single sample	Not Assessed	Upstream portion of segment	13	0		
E. coli geometric mean	Not Assessed	Portion of segment downstream of Gatesville	42	0		
E. coli geometric mean	Not Assessed	Portion of segment east of Hamilton	37	0		
E. coli geometric mean	Not Assessed	Portion of segment north of Gustine	14	0		
E. coli geometric mean	Not Assessed	Portion of segment upstream of Gatesville	37	0		
E. coli geometric mean	Not Assessed	Portion of segment west of US Hwy 281	30	0		
E. coli geometric mean	Not Assessed	Upstream portion of segment	13	0		
Fecal coliform single sample	Fully Supporting	Portion of segment downstream of Gatesville	42	19	4	
Fecal coliform single sample	Fully Supporting	Portion of segment east of Hamilton	37	19	2	
Fecal coliform single sample	Not Supporting	Portion of segment north of Gustine	14	22	7	
Fecal coliform single sample	Fully Supporting	Portion of segment upstream of Gatesville	37	39	8	

Segment ID: 1221 **Water body name:** Leon River Below Proctor Lake

Freshwater Stream | Brazos River Basin | Total size: 173 Miles

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Contact Recreation Use (continued)						
Fecal coliform single sample	Not Supporting	Portion of segment west of US Hwy 281	30	15	6	
Fecal coliform single sample	Fully Supporting	Upstream portion of segment	13	45	8	
Fecal coliform geometric mean	Fully Supporting	Portion of segment downstream of Gatesville	42	19		175.8
Fecal coliform geometric mean	Fully Supporting	Portion of segment east of Hamilton	37	19		193.6
Fecal coliform geometric mean	Not Supporting	Portion of segment north of Gustine	14	22		247
Fecal coliform geometric mean	Fully Supporting	Portion of segment upstream of Gatesville	37	39		135
Fecal coliform geometric mean	Not Supporting	Portion of segment west of US Hwy 281	30	15		319
Fecal coliform geometric mean	Fully Supporting	Upstream portion of segment	13	45		178
Overall Recreation Use	Fully Supporting	Portion of segment downstream of Gatesville	42			
Overall Recreation Use	Fully Supporting	Portion of segment east of Hamilton	37			
Overall Recreation Use	Not Supporting	Portion of segment north of Gustine	14			
Overall Recreation Use	Fully Supporting	Portion of segment upstream of Gatesville	37			
Overall Recreation Use	Not Supporting	Portion of segment west of US Hwy 281	30			
Overall Recreation Use	Fully Supporting	Upstream portion of segment	13			
General Use						
Water Temperature	Fully Supporting	Portion of segment downstream of Gatesville	42	39	0	
Water Temperature	Fully Supporting	Portion of segment east of Hamilton	37	20	0	
Water Temperature	Fully Supporting	Portion of segment north of Gustine	14	25	0	
Water Temperature	Fully Supporting	Portion of segment upstream of Gatesville	37	49	0	
Water Temperature	Fully Supporting	Portion of segment west of US Hwy 281	30	15	0	
Water Temperature	Fully Supporting	Upstream portion of segment	13	54	0	
pH	Fully Supporting	Portion of segment downstream of Gatesville	42	39	0	
pH	Fully Supporting	Portion of segment east of Hamilton	37	20	0	
pH	Fully Supporting	Portion of segment north of Gustine	14	25	0	

Segment ID: 1221 **Water body name:** Leon River Below Proctor Lake

Freshwater Stream | Brazos River Basin | Total size: 173 Miles

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
General Use (continued)						
pH	Fully Supporting	Portion of segment upstream of Gatesville	37	42	0	
pH	Fully Supporting	Portion of segment west of US Hwy 281	30	15	0	
pH	Fully Supporting	Upstream portion of segment	13	54	0	
Chloride	Fully Supporting	Portion of segment downstream of Gatesville	42	175		103.6
Chloride	Fully Supporting	Portion of segment east of Hamilton	37	175		103.6
Chloride	Fully Supporting	Portion of segment north of Gustine	14	175		103.6
Chloride	Fully Supporting	Portion of segment upstream of Gatesville	37	175		103.6
Chloride	Fully Supporting	Portion of segment west of US Hwy 281	30	175		103.6
Chloride	Fully Supporting	Upstream portion of segment	13	175		103.6
Sulfate	Fully Supporting	Portion of segment downstream of Gatesville	42	174		61.6
Sulfate	Fully Supporting	Portion of segment east of Hamilton	37	174		61.6
Sulfate	Fully Supporting	Portion of segment north of Gustine	14	174		61.6
Sulfate	Fully Supporting	Portion of segment upstream of Gatesville	37	174		61.6
Sulfate	Fully Supporting	Portion of segment west of US Hwy 281	30	174		61.6
Sulfate	Fully Supporting	Upstream portion of segment	13	174		61.6
Total Dissolved Solids	Fully Supporting	Portion of segment downstream of Gatesville	42	217		529.4
Total Dissolved Solids	Fully Supporting	Portion of segment east of Hamilton	37	217		529.4
Total Dissolved Solids	Fully Supporting	Portion of segment north of Gustine	14	217		529.4
Total Dissolved Solids	Fully Supporting	Portion of segment upstream of Gatesville	37	217		529.4
Total Dissolved Solids	Fully Supporting	Portion of segment west of US Hwy 281	30	217		529.4
Total Dissolved Solids	Fully Supporting	Upstream portion of segment	13	217		529.4
Overall General Use	Fully Supporting	Portion of segment downstream of Gatesville	42			
Overall General Use	Fully Supporting	Portion of segment east of Hamilton	37			
Overall General Use	Fully Supporting	Portion of segment north of Gustine	14			

Segment ID: 1221 **Water body name:** Leon River Below Proctor Lake

Freshwater Stream | Brazos River Basin | Total size: 173 Miles

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
General Use (continued)						
Overall General Use	Fully Supporting	Portion of segment upstream of Gatesville	37			
Overall General Use	Fully Supporting	Portion of segment west of US Hwy 281	30			
Overall General Use	Fully Supporting	Upstream portion of segment	13			
Fish Consumption Use						
Human Health Criteria Metals	Fully Supporting	Upstream portion of segment	13	11		
Human Health Criteria Organics	Fully Supporting	Upstream portion of segment	13	11		
Overall Fish Consumption Use	Not Assessed	Portion of segment downstream of Gatesville	42			
Overall Fish Consumption Use	Not Assessed	Portion of segment east of Hamilton	37			
Overall Fish Consumption Use	Not Assessed	Portion of segment north of Gustine	14			
Overall Fish Consumption Use	Not Assessed	Portion of segment upstream of Gatesville	37			
Overall Fish Consumption Use	Not Assessed	Portion of segment west of US Hwy 281	30			
Overall Fish Consumption Use	Fully Supporting	Upstream portion of segment	13			
Public Water Supply Use						
Finished Water: Running Avg	Fully Supporting	Upstream portion of segment	13			
Surface Water: Long-term average Metals	Fully Supporting	Upstream portion of segment	13	11		
Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	Portion of segment downstream of Gatesville	42	35		0.607
Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	Portion of segment east of Hamilton	37	20		0.303
Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	Portion of segment north of Gustine	14	22		0.343
Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	Portion of segment upstream of Gatesville	37	26		0.767
Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	Portion of segment west of US Hwy 281	30	11		0.534

Segment ID: 1221 **Water body name:** Leon River Below Proctor Lake

Freshwater Stream | Brazos River Basin | Total size: 173 Miles

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water Supply Use (continued)						
Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	Upstream portion of segment	13	51		0.298
Surface Water: Long-term average Organics	Fully Supporting	Upstream portion of segment	13	11		
Surface Water: Running average Metals	Fully Supporting	Upstream portion of segment	13	11	0	
Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	Portion of segment downstream of Gatesville	42	35	0	
Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	Portion of segment east of Hamilton	37	20	0	
Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	Portion of segment north of Gustine	14	22	0	
Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	Portion of segment upstream of Gatesville	37	26	0	
Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	Portion of segment west of US Hwy 281	30	11	0	
Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	Upstream portion of segment	13	51	0	
Surface Water: Running average Organics	Fully Supporting	Upstream portion of segment	13	11	0	
Overall Public Water Supply Use	Fully Supporting	Portion of segment downstream of Gatesville	42			
Overall Public Water Supply Use	Fully Supporting	Portion of segment east of Hamilton	37			
Overall Public Water Supply Use	Fully Supporting	Portion of segment north of Gustine	14			
Overall Public Water Supply Use	Fully Supporting	Portion of segment upstream of Gatesville	37			
Overall Public Water Supply Use	Fully Supporting	Portion of segment west of US Hwy 281	30			
Overall Public Water Supply Use	Fully Supporting	Upstream portion of segment	13			
Overall Use Support						
	Fully Supporting	Portion of segment downstream of Gatesville	42			
	Fully Supporting	Portion of segment east of Hamilton	37			

Segment ID: 1221 Water body name: Leon River Below Proctor Lake

Freshwater Stream | Brazos River Basin | Total size: 173 Miles

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Overall Use Support (continued)						
	Not Supporting	Portion of segment north of Gustine	14			
	Fully Supporting	Portion of segment upstream of Gatesville	37			
	Not Supporting	Portion of segment west of US Hwy 281	30			
	Fully Supporting	Upstream portion of segment	13			
Nutrient Enrichment Concern						
Ammonia Nitrogen	No Concern	Portion of segment downstream of Gatesville	42	15	2	
Ammonia Nitrogen	Not Assessed	Portion of segment east of Hamilton	37	0		
Ammonia Nitrogen	Not Assessed	Portion of segment north of Gustine	14	0		
Ammonia Nitrogen	Not Assessed	Portion of segment upstream of Gatesville	37	5	1	
Ammonia Nitrogen	No Concern	Portion of segment west of US Hwy 281	30	10	1	
Ammonia Nitrogen	No Concern	Upstream portion of segment	13	18	3	
Nitrite + Nitrate Nitrogen	No Concern	Portion of segment downstream of Gatesville	42	35	0	
Nitrite + Nitrate Nitrogen	No Concern	Portion of segment east of Hamilton	37	20	0	
Nitrite + Nitrate Nitrogen	No Concern	Portion of segment north of Gustine	14	22	0	
Nitrite + Nitrate Nitrogen	No Concern	Portion of segment upstream of Gatesville	37	26	0	
Nitrite + Nitrate Nitrogen	No Concern	Portion of segment west of US Hwy 281	30	11	0	
Nitrite + Nitrate Nitrogen	No Concern	Upstream portion of segment	13	51	0	
Orthophosphorus	No Concern	Portion of segment downstream of Gatesville	42	34	1	
Orthophosphorus	No Concern	Portion of segment east of Hamilton	37	20	0	
Orthophosphorus	No Concern	Portion of segment north of Gustine	14	21	0	
Orthophosphorus	No Concern	Portion of segment upstream of Gatesville	37	25	0	
Orthophosphorus	No Concern	Portion of segment west of US Hwy 281	30	11	0	
Orthophosphorus	No Concern	Upstream portion of segment	13	50	0	
Total Phosphorus	Not Assessed	Portion of segment downstream of Gatesville	42	0		

Segment ID: 1221 **Water body name:** Leon River Below Proctor Lake

Freshwater Stream | Brazos River Basin | Total size: 173 Miles

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Nutrient Enrichment Concern (continued)						
Total Phosphorus	Not Assessed	Portion of segment east of Hamilton	37	0		
Total Phosphorus	Not Assessed	Portion of segment north of Gustine	14	0		
Total Phosphorus	Not Assessed	Portion of segment upstream of Gatesville	37	5	0	
Total Phosphorus	No Concern	Portion of segment west of US Hwy 281	30	10	0	
Total Phosphorus	No Concern	Upstream portion of segment	13	13	0	
Overall Nutrient Enrichment Concerns	No Concern	Portion of segment downstream of Gatesville	42			
Overall Nutrient Enrichment Concerns	No Concern	Portion of segment east of Hamilton	37			
Overall Nutrient Enrichment Concerns	No Concern	Portion of segment north of Gustine	14			
Overall Nutrient Enrichment Concerns	No Concern	Portion of segment upstream of Gatesville	37			
Overall Nutrient Enrichment Concerns	No Concern	Portion of segment west of US Hwy 281	30			
Overall Nutrient Enrichment Concerns	No Concern	Upstream portion of segment	13			
Algal Growth Concern						
Chlorophyll a	Not Assessed	Portion of segment downstream of Gatesville	42	0		
Chlorophyll a	Not Assessed	Portion of segment east of Hamilton	37	0		
Chlorophyll a	Not Assessed	Portion of segment north of Gustine	14	0		
Chlorophyll a	Not Assessed	Portion of segment upstream of Gatesville	37	5	0	
Chlorophyll a	Concern	Portion of segment west of US Hwy 281	30	10	3	
Chlorophyll a	Concern	Upstream portion of segment	13	13	4	
Sediment Contaminants Concern						
Metals in sediment	Not Assessed	Upstream portion of segment	13	4	0	
Overall Sediment Contaminant Concerns	Not Assessed	Portion of segment downstream of Gatesville	42			
Overall Sediment Contaminant Concerns	Not Assessed	Portion of segment east of Hamilton	37			

Segment ID: 1221 **Water body name:** Leon River Below Proctor Lake

Freshwater Stream | Brazos River Basin | Total size: 173 Miles

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Sediment Contaminants Concern (continued)						
Overall Sediment Contaminant Concerns	Not Assessed	Portion of segment north of Gustine	14			
Overall Sediment Contaminant Concerns	Not Assessed	Portion of segment upstream of Gatesville	37			
Overall Sediment Contaminant Concerns	Not Assessed	Portion of segment west of US Hwy 281	30			
Overall Sediment Contaminant Concerns	Not Assessed	Upstream portion of segment	13			
Fish Tissue Contaminants Concern						
Overall Fish Tissue Contaminant Concerns	Not Assessed	Portion of segment downstream of Gatesville	42			
Overall Fish Tissue Contaminant Concerns	Not Assessed	Portion of segment east of Hamilton	37			
Overall Fish Tissue Contaminant Concerns	Not Assessed	Portion of segment north of Gustine	14			
Overall Fish Tissue Contaminant Concerns	Not Assessed	Portion of segment upstream of Gatesville	37			
Overall Fish Tissue Contaminant Concerns	Not Assessed	Portion of segment west of US Hwy 281	30			
Overall Fish Tissue Contaminant Concerns	Not Assessed	Upstream portion of segment	13			
Public Water Supply Concern						
Finished Water: Chloride	No Concern	Portion of segment downstream of Gatesville	42			
Finished Water: Chloride	No Concern	Portion of segment east of Hamilton	37			
Finished Water: Chloride	No Concern	Portion of segment north of Gustine	14			
Finished Water: Chloride	No Concern	Portion of segment upstream of Gatesville	37			
Finished Water: Chloride	No Concern	Portion of segment west of US Hwy 281	30			
Finished Water: Chloride	No Concern	Upstream portion of segment	13			

Segment ID: 1221 **Water body name:** Leon River Below Proctor Lake

Freshwater Stream | Brazos River Basin | Total size: 173 Miles

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water Supply Concern (continued)						
Finished Water: Sulfate	No Concern	Portion of segment downstream of Gatesville	42			
Finished Water: Sulfate	No Concern	Portion of segment east of Hamilton	37			
Finished Water: Sulfate	No Concern	Portion of segment north of Gustine	14			
Finished Water: Sulfate	No Concern	Portion of segment upstream of Gatesville	37			
Finished Water: Sulfate	No Concern	Portion of segment west of US Hwy 281	30			
Finished Water: Sulfate	No Concern	Upstream portion of segment	13			
Finished Water: Total Dissolved Solids	No Concern	Portion of segment downstream of Gatesville	42			
Finished Water: Total Dissolved Solids	No Concern	Portion of segment east of Hamilton	37			
Finished Water: Total Dissolved Solids	No Concern	Portion of segment north of Gustine	14			
Finished Water: Total Dissolved Solids	No Concern	Portion of segment upstream of Gatesville	37			
Finished Water: Total Dissolved Solids	No Concern	Portion of segment west of US Hwy 281	30			
Finished Water: Total Dissolved Solids	No Concern	Upstream portion of segment	13			
Finished Water: MTBE	No Concern	Portion of segment downstream of Gatesville	42			
Finished Water: MTBE	No Concern	Portion of segment east of Hamilton	37			
Finished Water: MTBE	No Concern	Portion of segment north of Gustine	14			
Finished Water: MTBE	No Concern	Portion of segment upstream of Gatesville	37			
Finished Water: MTBE	No Concern	Portion of segment west of US Hwy 281	30			
Finished Water: MTBE	No Concern	Upstream portion of segment	13			
Finished Water: Perchlorate	Not Assessed	Portion of segment downstream of Gatesville	42			
Finished Water: Perchlorate	Not Assessed	Portion of segment east of Hamilton	37			
Finished Water: Perchlorate	Not Assessed	Portion of segment north of Gustine	14			
Finished Water: Perchlorate	Not Assessed	Portion of segment upstream of Gatesville	37			
Finished Water: Perchlorate	Not Assessed	Portion of segment west of US Hwy 281	30			
Finished Water: Perchlorate	Not Assessed	Upstream portion of segment	13			

Segment ID: 1221 **Water body name:** Leon River Below Proctor Lake

Freshwater Stream | Brazos River Basin | Total size: 173 Miles

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water Supply Concern (continued)						
Finished Water: Overall	No Concern	Portion of segment downstream of Gatesville	42			
Finished Water: Overall	No Concern	Portion of segment east of Hamilton	37			
Finished Water: Overall	No Concern	Portion of segment north of Gustine	14			
Finished Water: Overall	No Concern	Portion of segment upstream of Gatesville	37			
Finished Water: Overall	No Concern	Portion of segment west of US Hwy 281	30			
Finished Water: Overall	No Concern	Upstream portion of segment	13			
Surface Water: Chloride	No Concern	Portion of segment downstream of Gatesville	42	175		103.6
Surface Water: Chloride	No Concern	Portion of segment east of Hamilton	37	175		103.6
Surface Water: Chloride	No Concern	Portion of segment north of Gustine	14	175		103.6
Surface Water: Chloride	No Concern	Portion of segment upstream of Gatesville	37	175		103.6
Surface Water: Chloride	No Concern	Portion of segment west of US Hwy 281	30	175		103.6
Surface Water: Chloride	No Concern	Upstream portion of segment	13	175		103.6
Surface Water: Sulfate	No Concern	Portion of segment downstream of Gatesville	42	174		61.6
Surface Water: Sulfate	No Concern	Portion of segment east of Hamilton	37	174		61.6
Surface Water: Sulfate	No Concern	Portion of segment north of Gustine	14	174		61.6
Surface Water: Sulfate	No Concern	Portion of segment upstream of Gatesville	37	174		61.6
Surface Water: Sulfate	No Concern	Portion of segment west of US Hwy 281	30	174		61.6
Surface Water: Sulfate	No Concern	Upstream portion of segment	13	174		61.6
Surface Water: Total Dissolved Solids	No Concern	Portion of segment downstream of Gatesville	42	217		529.4
Surface Water: Total Dissolved Solids	No Concern	Portion of segment east of Hamilton	37	217		529.4
Surface Water: Total Dissolved Solids	No Concern	Portion of segment north of Gustine	14	217		529.4
Surface Water: Total Dissolved Solids	No Concern	Portion of segment upstream of Gatesville	37	217		529.4
Surface Water: Total Dissolved Solids	No Concern	Portion of segment west of US Hwy 281	30	217		529.4
Surface Water: Total Dissolved Solids	No Concern	Upstream portion of segment	13	217		529.4

Segment ID: 1221 **Water body name:** Leon River Below Proctor Lake

Freshwater Stream | Brazos River Basin | Total size: 173 Miles

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water Supply Concern (continued)						
Surface Water: Overall	No Concern	Portion of segment downstream of Gatesville	42			
Surface Water: Overall	No Concern	Portion of segment east of Hamilton	37			
Surface Water: Overall	No Concern	Portion of segment north of Gustine	14			
Surface Water: Overall	No Concern	Portion of segment upstream of Gatesville	37			
Surface Water: Overall	No Concern	Portion of segment west of US Hwy 281	30			
Surface Water: Overall	No Concern	Upstream portion of segment	13			
Overall Public Water Supply Concerns	No Concern	Portion of segment downstream of Gatesville	42			
Overall Public Water Supply Concerns	No Concern	Portion of segment east of Hamilton	37			
Overall Public Water Supply Concerns	No Concern	Portion of segment north of Gustine	14			
Overall Public Water Supply Concerns	No Concern	Portion of segment upstream of Gatesville	37			
Overall Public Water Supply Concerns	No Concern	Portion of segment west of US Hwy 281	30			
Overall Public Water Supply Concerns	No Concern	Upstream portion of segment	13			
Narrative Criteria Concern						
Overall Narrative Criteria Concerns	No Concern	Portion of segment downstream of Gatesville	42			
Overall Narrative Criteria Concerns	No Concern	Portion of segment east of Hamilton	37			
Overall Narrative Criteria Concerns	No Concern	Portion of segment north of Gustine	14			
Overall Narrative Criteria Concerns	No Concern	Portion of segment upstream of Gatesville	37			
Overall Narrative Criteria Concerns	No Concern	Portion of segment west of US Hwy 281	30			
Overall Narrative Criteria Concerns	No Concern	Upstream portion of segment	13			
Overall Secondary Concern						
	No Concern	Portion of segment downstream of Gatesville	42			
	No Concern	Portion of segment east of Hamilton	37			
	No Concern	Portion of segment north of Gustine	14			
	No Concern	Portion of segment upstream of Gatesville	37			

Segment ID: 1221 **Water body name:** Leon River Below Proctor Lake

Freshwater Stream | Brazos River Basin | Total size: 173 Miles

Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Overall Secondary Concern (continued)						
	Concern	Portion of segment west of US Hwy 281	30			
	Concern	Upstream portion of segment	13			